

# XCEL LUBRICANTS

Protects like no other® 1601 McCloskey Blvd. Tampa, FL 33605 U.S.A. E-MAIL: info@xcellube.com http://www.xcellube.com/ Telephone: 813-248-1988 Fax: 813-248-1488

Page 1/9

818504082

# Safety data sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 07.17.2015

## 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- . Trade name: XCEL SUPER DUTY 40
- · Application of the substance / the preparation Lubricating Oils
- 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier: XCEL LUBRICANTS 1601 McCloskey Boulevard Tampa, FL 33605 U.S.A. Phone: 813-248-1988

1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585

### 2 Hazards identification

· 2.1 Classification of the substance or mixture
<ul> <li>Classification according to Regulation (EC) No 1272/2008</li> </ul>
The product is not classified according to the CLP regulation.
· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
Information concerning particular hazards for human and environment:
The product does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system:
The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is
supplemented by information from technical literature and by information provided by the company.
· 2.2 Label elements
<ul> <li>Labeling according to Regulation (EC) No 1272/2008 N/A</li> </ul>
· Hazard pictograms N/A
· Signal word N/A
· Hazard statements N/A
· Hazard description:
• WHMIS-symbols: Not hazardous under WHMIS.

**VHIMIS-Symbols:** Not hazardous under WHMIS.

(Contd. on page 2)

### Trade name: XCEL SUPER DUTY 40

(Contd. of page 1)

#### · HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

### · 2.3 Other hazards

· Results of PBT and vPvB assessment

. PBT: Not applicable.

• **vPvB:** Not applicable.

3 Composition/informatio	n on ingredients	
· 3.2 Mixtures		
. Description: Mixture of subst	tances listed below with nonhazardous additions.	
. Dangerous components:		
CAS: 64741-88-4 EINECS: 265-090-8 Index number: 649-454-00-7	Distillates (petroleum), solvent-refined heavy paraffinic	Carc. Cat. 2 95%
less than 3 % DMSO extract lubricating base oils and asp index method', Institute of Pet	a carcinogen need not apply if it can be shown that the t as measured by IP 346 'Determination of polycyclic a haltene free petroleum fractions - Dimethyl sulphoxide troleum, London. This product meets these requirements. sk phrases refer to section 16.	aromatics in unused extraction refractive
4 First aid measures		
. 4.1 Description of first aid n	neasures	
· General information: No spe		
<ul> <li>After inhalation: Supply fresh</li> </ul>	n air; consult doctor in case of complaints.	
<ul> <li>After skin contact: Immediately wash with water a</li> </ul>	and soap and rinse thoroughly.	
If skin irritation continues, con		
Remove contact lenses if worr	n. minutes under running water. If symptoms persist, consu	ılt a doctor.
Rinse out mouth and then drin		
Do not induce vomiting; call fo	or medical help immediately. ns and effects, both acute and delayed	
No further relevant information		
	liate medical attention and special treatment needed	
No further relevant information	available.	
		(Contd. on page 3)

(Contd. on page 3)

#### Trade name: XCEL SUPER DUTY 40

(Contd. of page 2)

#### **5 Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Carbon dioxide W ater haze or fog Foam Fire-extinguishing powder
  For safety reasons unsuitable extinguishing agents: W ater with full jet
  5.2 Special hazards arising from the substance or mixture
- Carbon monoxide (CO) Nitrogen oxides (NOx) Sulphur dioxide (SO2) • **5.3 Advice for firefighters**
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### **6** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
  Ensure adequate ventilation
  Wear protective equipment. Keep unprotected persons away.

  6.2 Environmental precautions:
  Do not allow to enter sewers/ surface or ground water.
  Prevent from spreading (e.g. by damming-in or oil barriers).

  6.3 Methods and material for containment and cleaning up:
  Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  Send for recovery or disposal in suitable receptacles.
  Do not flush with water or aqueous cleansing agents

  6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### 7 Handling and storage

- . 7.1 Precautions for safe handling Avoid the formation of oil haze.
- . Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents.

(Contd. on page 4)

Trade name: XCEL SUPER DUTY 40
(Contd. of page 3) • Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. • 7.3 Specific end use(s) No further relevant information available.
8 Exposure controls/personal protection
· Additional information about design of technical facilities: No further data; see item 7.
<ul> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Additional information: The lists valid during the making were used as basis.</li> </ul>
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Avoid contact with the eyes.</li> <li>Respiratory protection: Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation.</li> <li>Protection of hands:</li> </ul>
Protective gloves
Oil resistant gloves • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. • Eye protection:
Safety glasses
Goggles recommended during refilling
9 Physical and chemical properties
9.1 Information on basic physical and chemical properties     General Information

· Appearance:

Form: Colour: Oily Amber coloured

(Contd. on page 5)

### Trade name: XCEL SUPER DUTY 40

		(Contd. of page 4
· Odour:	Characteristic	(Conta: of page 4
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	240°C (464°F)	
· Flammability (solid, gaseous):	Not applicable.	
<ul> <li>Ignition temperature:</li> </ul>		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
<ul> <li>Danger of explosion:</li> </ul>	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20°C:	0,89 g/cm³	
<ul> <li>Relative density</li> </ul>	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
<ul> <li>Solubility in / Miscibility with</li> </ul>		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	t <b>er):</b> > 2,0 log POW (Estimate)	
· Viscosity:		
Viscosity Index:	100	
Kinematic at 40°C:	130 cSt (14,5 cSt @ 100°C)	
· Solvent content:		
Organic solvents:	0,0 %	
• 9.2 Other information	No further relevant information available.	

### **10 Stability and reactivity**

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- . 10.4 Conditions to avoid Store away from oxidizing agents.

(Contd. on page 6)

#### Trade name: XCEL SUPER DUTY 40

(Contd. of page 5)

· 10.5 Incompatible materials: No further relevant information available.

#### 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Possible in traces. Sulphur oxides (SOx) Nitrogen oxides (NOx)

#### **11** Toxicological information

#### · 11.1 Information on toxicological effects

#### . Acute toxicity:

#### . LD/LC50 values relevant for classification:

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

#### . Primary irritant effect:

- . on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### **12 Ecological information**

- 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- . 12.2 Persistence and degradability Not easily biodegradable
- . 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

- . **PBT:** Not applicable.
- · vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)

#### Trade name: XCEL SUPER DUTY 40

(Contd. of page 6)

### **13 Disposal considerations**

· 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be reused after reprocessing.

Delivery of waste oil to officially authorized collectors only.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· 14.1 UN-Number		
· DOT, ADN, IMDG, IATA	N/A	
<ul> <li>14.2 UN proper shipping name</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA	N/A	
· 14.3 Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	N/A	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	N/A	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	_	

#### **15 Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  United States (USA)

. SARA

. Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 8)

#### Trade name: XCEL SUPER DUTY 40

· TSCA (Toxic Substances Control Act):	(Contd. of pag
· · ·	
All ingredients are listed.	
Proposition 65 (California):     Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
<ul> <li>Chemicals known to cause developmental toxicity:</li> </ul>	
None of the ingredients is listed.	
. Carcinogenic Categories	
. EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
<ul> <li>IARC (International Agency for Research on Cancer)</li> </ul>	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
• MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
. Canada	
. Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not be	een carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

#### Trade name: XCEL SUPER DUTY 40

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labeling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

This document was authored and reviewed by the technical and scientific staff at ChemTel Inc. Descriptions, classifications and calculations are based upon data provided by manufacturer and augmented by published data in conjunction with expert analysis by degreed scientists.

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 W ebsite: www.chemtelinc.com

