

H5



WHERE CUSTOMER SERVICE AND QUALITY IS OUR PRIORITY!

Visit our website: www.herreroandsons.com or scan the QR code



Glass cleaner

Limpiador De Vidrios





FURPLE Figh Blaze fem Figh B

29.635PB **35** oz.

EXPORT ONLY

Purple Blaster Glass & Multi-Surface Cleaner

Streak & Ammonia Free Specially formulated For Glass & Multi Surfaces, **Window Film Safe**, Fresh Breeze Scent!

> 12 PER CASE 2 CASES PER PALLET

NEW & IMPROVED

- MORE OUNCES
- NEW DELUXE TRIGGER
- NEW LOOK
- STRONGER FORMULA

Purple Blaster Glass Cleaner, Streak & Ammonia Free

advanced formula is specially formulated to clean window film, glass, driving lights, mirrors from grease, bugs, tar, dirt, grime, etc.



29.632 35 oz.

Purple Blaster Glass Cleaner

Streak & Ammonia Free Specially formulated for **Window Film**

12 PER CASE 32 CASES PER PALLET

NEW DELUXE TRIGGER!

PERFORMANCE FULL SYNTHETIC EXTENDS ENGINE LIFE

Discover H5X3M_

The Next Generation Of Motor Oils, Specially Formulated To Meet The Latest API Category And Deliver Superior Engine Protection. Our Full Synthetic oils deliver peak performance, top-notch protection, and incredible fuel efficiency for modern engines, Meets API SQ / ILSAC GF-7A Standards.



30.702
Full Synthetic Oil
SAE OW-20
API SQ / ILSAC GF-7A



30.752
Full Synthetic Oil
SAE 5W-20
API SQ / ILSAC GF-7A



30.753
Full Synthetic Oil
SAE 5W-30
API SQ / ILSAC GF-7A

SYNTHETIC ELEND DIESEL ENGINE OIL

• For hardworking **Diesel Engines**, our 15W-40 Synthetic Blend packs the durability and strength professionals trust every day, Meets **API CK-4** Standards.



30.715
Synthetic Blend
SAE 15W-40
Diesel Engine Oil
API CK4







31.99839 3 oz. MEGA BLACK

Automotive Silicone

SENSOR SAFE

Mega Black Silicone is a high-flex, low odor, non-corrosive, sensor/safe, moisture curing gasketing material that cures into a strong silicone rubber that maintains long lasting durability and performance to make formed-in-place gaskets. This tough, flexible silicone rubber gasket resists aging and weathering. Will not harden, shrink, or crack. Non-corrosive to steel, iron, and aluminum.

TEMP. RESISTANCE: -100°F to +650°F $(-73^{\circ}\text{C to} + 343^{\circ}\text{C})$

12 PFR CASE

ANTIFREEZE / COOLANT



29.858-4

Antifreeze/Coolant (Pink) Ready Mix 50/50, 1 Gallon 4 PER CASE / 52 CASES PER PALLET HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene glycol based product that provides year-round protection against freeze-ups, boilovers and corrosion under extreme conditions. HS Ready Mix 50/50 Prediluted Antifreeze/Coolant has an expected service life of 5 years or 150,000 miles in automobiles and other light-duty and heavy-duty vehicles (vans, pick-ups, SUV's etc.). HS Ready Mix protects against freeze-ups down to -34° F. HS Ready Mix protects against boil-overs up to 265° F. A full range of inhibitors protect all cooling system metals and will not damage auto finishes or rubber parts. The Antifreeze meets ASTM D 3306 (Automotive Prediluted Antifreeze). ASTM D 4985 (Heavy-Duty Prediluted Antifreeze) and ASTM D 6210 (Heavy-Duty Prediluted, Fully-Formulated Antifreeze). It also meets or exceeds the following industry specifications as a concentrated or prediluted antifreeze/coolant. The Maintenance Council of the American Truck Association. Antifreeze also meets the non-phosphate requirements of European OEM's and non-silicate requirements of Japanese OEM's. Meets: ASTM D3306, JIS K2234.

HS Ready Mix 50/50 is recommended for use in:

Protection


Freeze-Up

Protection

Boil-Over

Protection

- Toyota
- Lexus
- KIA
- Honda/Acura
- Mitsubishi
- Subaru
- Daewoo
- Hyundai
- Nissan/Infiniti
- Mazda
- Suzuki
- Daihatsu
- Scion
- Isuzu







FOR USE WITH: ALL MAKES, MODELS & YEARS

* The Maintenance Council of the American Trucking Assoc. Antifreeze also meets the non-phosphate requirements of European OEM's and non-requirements of Japanese OEM's.

HS 50/50

Premix

-34°F

+265°F





29.4641NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

> NET WT. 10 oz. 12 PER CASE



29.4642NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake. NET WT. 16.25 oz.

12 PER CASE



29.4724 Throttle Body & Air Intake Cleaner

Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance.

NET WT. 10 oz. 12 PER CASE



29.4600 Electronics Cleaner

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue.

NET WT. 10 oz.



29.4721 Mass Air Flow Sensor Cleaner

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance.

NET WT. 10 oz.

12 PER CASE



29.6762 Starting Fluid

Helps start stubborn
engines fast in cold weather.
Saves batteries.
Contains upper cylinder
lubricants.

NET WT. 10.7 oz. 12 PER CASE




29.6812UV-6 Lubricant With UV DYE

Three different viscosity grades of preWmium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems.

NET WT. 8 oz. 6 PER CASE





Professional "A" Grade HS IR Nano-Ceramic, Scratch Resistant, Non-Reflective, Non-Metalized, High Heat & UV Rejection

NANO-Ceramic Films, by Herrero & Sons Corp, ensure no signal interference from popular devices such as radios, GPS, key-less entry, cell phones and navigation devices. The unique technology used to produce HS IR Nano-Ceramic makes it the most state-of-the-art automotive film today. The Film provides a proprietary non-metalized, non-conductive Nano-ceramic technology with maximum heat and ultraviolet rejection, excellent optical clarity, and scratch and corrosion-resistant properties. HS IR Nano-Ceramic, dramatically reduce irreversible damage to human skin and vehicle interiors due to harmful ultraviolet (UV), visible, and infrared (IR) rays that penetrate ordinary window glass, while keeping the vehicle significantly cooler. In other words, practically clear films reject high levels of heat as dark films do. HS IR Nano-Ceramic, are light enough to meet visible light transmission laws for windscreens in most countries worldwide and provide the ultimate in comfort and protection as well as an elegant image. Installed HS IR Nano-Ceramic, help maintain temperature in interior surfaces of vehicles, offices or homes up to a maximum of 16°C (30°F) much cooler than in comparison with unprotected glass. This reduction in temperature increases the comfort but also reduces the use of air conditioners, helping to reduce energy costs and fuel consumption. Installer friendly films are easily heat-formed and have PS mounting adhesive for rapid install on curve automotive glass.

IR NANO-CERAMIC FILM (152.4 cm x 30.5 m) 60" x 100'

ITEM #			<u>VLT</u>	TSER	IR Reject	UV Reject
14.9605	Ceramic Black	2.3Mil	5%	97%	90%	99%
14.9615	Ceramic Black	2.3Mil	15%	89%	90%	99%
14.9630	Ceramic Black	2.3Mil	30%	79%	90%	99%
14.9650	Ceramic Black	2.3Mil	50%	75%	90%	99%
14.9670	Ceramic Blue	2.3Mil	70%	61%	90%	99%















130°F

Without HS IR Nano-Ceramic Window Film

100°F

Protected by HS IR Nano-Ceramic Window Film

ADVERTISING MATERIALS











AUTOMOTIVE

RESIDENTIAL

MARINE





INCREASES SAFETY





APPEARANCE

- 99% UV Rejected
- 90% IR Rejected
- High Heat Rejection







99. HSCERWF IR NANO-CERAMIC FILM BANNER 60" W x 30" H



PERFORMANCE



MADE IN THE USA



Safety / Solar Security "A" Grade Film Scratch-Resistant

Professional grade deep-dyed layer films offer the same protection as the clear security films but also provide heat and glare reduction for increasingly popular automotive and building applications. Film has extra strong, UV-Protected, PS adhesive and a scratch resistant coating. We only use Dupont Teijin® polyester because it is the best quality polyester for safety in the market. Large amount of adhesive on this safety film allow us to surpass American & European standards of impact, shatterproof & drop ball tests.



Dved Security Film



DYED SECURITY FILM

(152.4 cm x 30.5 m) 60" x 100'

VLT **TSER** 17% 43% 14.XSA15CSR4 Charcoal 4 mil 14.XSA50CSR4 Charcoal 4 mil 50% 29% //5



SCRATCH RESISTANT PERFORMANCE WINDOW FILMS

SMOKE

IDEAL FOR AUTO, VANS, RV, TRUCKS, HOME, OFFICE, BOATS, ETC...

DIY STANDARD WINDOW FILM KIT



		5%	20%	35%
٧LT	Color Darkness	5%	20%	35%
TSER	Heat Rejection	54%	43%	39%



DYED FILM 20" x 10' (50 cm x 3m)

	SIMOKE	<u>VLI</u>	<u>ijen</u>
14.305	Very Dark Smoke	5%	54%
14.320	Dark Smoke	20%	43%
14.335	Medium Smoke	35%	39%
	CHARCOAL / BLACK	<u>VLT</u>	<u>tser</u>
14.805	Very Dark Charcoal / Black	5%	54%
14.820	Dark Charcoal / Black	20%	43%
14.835	Medium Charcoal / Black	35%	39%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- 1.2 Mil

d **TINTERFERENCE**

10 KITS PER MASTER PACK

TSFR

DIY CERAMIC WINDOW FILM KIT



		5%	15%	30%
디	Color Darkness	5%	15%	30%
TSER	Heat Rejection	86%	71%	62%



Does Not Interrupt Radio, GPS Frequency

CERAVIC WINDOW FILMS HIGH HEAT REJECTION SCHARLIC MICHIGAN CONTRIBUTION OF THE PROPERTY OF T

CERAMIC FILM 30" x 10' (76cm x 3m)

	CERAMIC	<u>VLT</u>	<u>tser</u>
14.705	Ceramic Black	5%	86%
14.715	Ceramic Black	15%	71%
14.730	Ceramic Black	30%	62%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- High Heat Rejection
- 2.3 Mil



SAVES ENERGY

99% UV RAYS

SAVES ENERGY PROTECTS INTERIOR EXTENDS PRIVACY INCREASES SAFETY ENHANCES APPEARANCE


NO SIGNAL













10 KITS PER MASTER PACK

130°F

Without Ceramic Window Film

100°F

<u>Protected</u> with Ceramic Window Film

VLT: VISIBLE LIGHT TRANSMITANCE
TSER: TOTAL SOLAR ENERGY REJECTED

ALUMINUM, TIRE VALVE CAPS



5 PC Set

W24 SETS INNER PACK / 144 SETS MASTER PACK



43.820 Black Plastic (5)



43.825 Chrome Metal (5)



4 PC Set



43.860 Black (4)



43.842 Anodized Blue (4)



43.862 Anodized Blue (4)



43.843 Anodized Red (4)



43.863 Anodized Red (4)



43.845 Chrome (4)



43.865 Chrome (4)

24 SETS INNER PACK / 144 SETS MASTER PACK

HS WHEEL COVERS

SILVER-BLACK



45.607 16"
Silver Black
Wheel Cover
4 SETS PER MASTER PACK

All of our Wheel Covers are made from Strong, flexible, NON- recycled, 100% virgin abs plastic.

- **1.** Patented, (PAT. NO.151485) Dual metal retention ring with secure clips.
- 2. Grips firmly onto wheel lip.





OZIUM AIR SANITIZERS







05.0Z-26 0.8 oz. Aerosol Carbon Black

6 INNER PACK / 48 MASTER PACK





05.0ZM-26 3.5 oz. Aerosol Carbon Black

4 INNER PACK / 48 MASTER PACK

STEERING WHEEL LOCKS





- Highly visible yellow color distracts thieves from break-ins.
- Self locking mechanism.
- The key is only needed to unlock the device.
- Allows the driver to enter or leave the vehicle easily.
- Tough hardened steel construction.
- Foam coated to protect the steering wheel against damage.
- Includes 2 keys.







INCREASE SAFETY & VISIBILITY IN ANY WEATHER

One bulb contains 2 colors. You can switch from white light to yellow whenever you want by simply turning ON/OFF/ON within 5 seconds.

- Plug and Play / Hassle Free Installation
- Perfect Lighting Beam Pattern
- Built-In 11,000 RPM Turbo Cooling Fan
- Built-In Smart IC Driver
- Built-In CANBUS Decoder

- Double-Sided (1860 Chip)
- Aviation Aluminum Housing
- 10.000 LM Per Double-Sided Set
- IP68 Water-Proof Rate
- Working Temp: -40°C +80°C



63.LEDH7WY (H7)

50 PER MASTER PACK











Microfiber Drying Towel

Waffle Design Absorbs More Water



- Holds More Water
- Spot & Streak Free
- Lint & Scratch Free
- Reduces Drying Time





28.324
Microfiber
Drying Towel
Large 24" x 24"
1PC Pack
20 PER MASTER PACK



28.336
Microfiber
Drying Towel
X-Large 36" x 36"
1PC Pack
20 PER MASTER PACK



2 Pcs 5" Microfiber Applicator Pads




2 Pcs Pack



Ideal For Applying:

- Polishes
- Waxes
- Protectants
- Tire Shine



28.352 5" Microfiber Applicator Pads 2 Pcs Pack 12 INNER PACK / 48 MASTER PACK

7 Pcs Wash & Detailing Kit



(1) Two sided Chenille Wash Mitt



(1) Microfiber Drying Towel 24"x 24"



(3) Microfiber Cloths 12" x 16"



(1) 5" Microfiber Applicator Pads



(1) Storage Case

28.307
7 Pcs Wash & Detailing Kit
6 INNER PACK /
12 MASTER PACK

NOTES