

H5



WHERE CUSTOMER SERVICE AND QUALITY IS OUR PRIORITY!



Visit our website: www.herreroandsons.com or scan the QR code









# Discover H5X3M\_

The Next Generation Of Motor Oils, Specially Formulated To Meet The Latest API Category And Deliver Superior Engine Protection. Our Full Synthetic oils deliver peak performance, top-notch protection, and incredible fuel efficiency for modern engines, Meets API SQ / ILSAC GF-7A Standards.



30.702
Full Synthetic Oil
SAE OW-20
API SQ / ILSAC GF-7A



30.752
Full Synthetic Oil
SAE 5W-20
API SQ / ILSAC GF-7A



30.753
Full Synthetic Oil
SAE 5W-30
API SQ / ILSAC GF-7A



30.713
Full Synthetic Oil
SAE 10W-30
API SQ / ILSAC GF-7A



# SYNTHETIC BLEND DIESEL ENGINE OIL

• For hardworking **Diesel Engines**, our 15W-40 Synthetic Blend packs the durability and strength professionals trust every day, Meets **API CK-4**Standards.

30.715
Synthetic Blend
SAE 15W-40
Diesel Engine Oil
API CK4





# Glass cleaner

**Limpiador De Vidrios** 





# PURPLE Figh Store for FIGH SUBJECT Figh Store for FIGH SUBJECT AMMONIA-FREE / WINDOW FLM SAE STREAK-FREE CLEAN FIGHER HISS FIGH STORE FIGH

29.635PB **35** oz.

# **EXPORT ONLY**

Purple Blaster Glass & Multi-Surface Cleaner

Streak & Ammonia Free Specially formulated For Glass & Multi Surfaces, Window Film Safe, Fresh Breeze Scent!

> 12 PER CASE 2 CASES PER PALLET

# NEW & TOVED

- MORE OUNCES
- NEW DELUXE TRIGGER
- NEW LOOK
- STRONGER FORMULA

Purple Blaster Glass Cleaner, Streak & Ammonia Free

advanced formula is specially formulated to clean window film, glass, driving lights, mirrors from grease, bugs, tar, dirt, grime, etc.



29.632 35 oz.

Purple Blaster Glass Cleaner

Streak & Ammonia Free Specially formulated for **Window Film** 

12 PER CASE 32 CASES PER PALLET



NEW DELUXE TRIGGER!

# **ANTIFREEZE / COOLANT**

<mark>Antifreeze / Cool</mark>ani



HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM

D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate

\* The Maintenance Council of the American Trucking Assoc. Antifreeze also meets the non-phosphate requirements of European OEM's and non-

All years including

2009 & Newer,

Hybrids & EVs

including Hybrids & EVs

POAT (Phosphate Organic Acid Technology)

(European) and non-silicate (Japanese) requirements.

POAT (Phosphate Organic Acid Technology)

requirements of Japanese OEM's.

**ACURA®** 

HONDA®

**INFINITI®** 

**NISSAN®** 

**SUBARU®** 

SUZUKI® | Newer



















SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

EXTENDED LIFE



**ACURA\*.HONDA\*.INFINITY\*.** NISSAN\*,SUBARU\*, SUZUKI\*





Antifreeze/Coolant (Blue) Ready Mix 50/50, 1 Gallon 4 PER CASE / 52 CASES PER PALLET



#### 29.858-4

Antifreeze/Coolant (Pink) Ready Mix 50/50, 1 Gallon 4 PER CASE / 52 CASES PER PALLET **HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/** 

COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavyduty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

HS Ready Mix 50/50 is recommended for use in:

- Toyota
- Lexus
- KIA
- Honda/Acura
- Mitsubishi
- Subaru Daewoo
- Hyundai Nissan/Infiniti
- Mazda
- Suzuki
- Daihatsu
- Scion
- Isuzu

Protection	HS 50/50 Premix
Freeze-Up Protection	-34°F
Boil-Over Protection	+265°F



SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

# FOR USE WITH: ALL MAKES, MODELS & YEARS



The above registered trademarks are owned by third parties. POAT (Phosphate Organic Acid Technology)

# **CHEMICALS PRODUCTS & SILICONES**





#### 29.4641NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

> NET WT. 10 oz. 12 PER CASE



#### 29.4721 Mass Air Flow Sensor Cleaner

Helps improve performance grease, removes dirt and flux and helps to restore engine performance.

NET WT. 10 oz.

12 PFR CASE



#### 29.4642NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake. NET WT. 16.25 oz.

12 PER CASE



### 29.6762 Starting Fluid

Helps start stubborn and fuel economy, dissolves engines fast in cold weather. Saves batteries. Contains upper cylinder lubricants.

> NET WT. 10.7 oz. 12 PER CASE



#### 29.4724 Throttle Body & Air Intake Cleaner

Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance.

> NET WT. 10 oz. 12 PER CASE



#### 29.4600 **Electronics** Cleaner

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue.

> NET WT. 10 oz. 12 PFR CASE



#### 29.6812UV-6 **Lubricant With UV DYE**

Three different viscosity grades of preWmium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems.

> NET WT. 8 oz. 6 PFR CASE

# **Automotive Silicone**

# MEGA BLACK



31.99839 3 oz.

SENSOR SAFE

Mega Black Silicone is a high-flex, low odor, non-corrosive, sensor/safe, moisture curing gasketing material that cures into a strong silicone rubber that maintains long lasting durability and performance to make formed-inplace gaskets. This tough, flexible silicone rubber gasket resists aging and weathering. Will not harden, shrink, or crack. Non-corrosive to steel, iron, and aluminum.

**TEMP. RESISTANCE:**  $-100^{\circ}F$  to  $+650^{\circ}F$  $(-73^{\circ}C \text{ to } + 343^{\circ}C)$ 

# **ADVERTISING MATERIALS**











## **AUTOMOTIVE**

RESIDENTIAL

MARINE

COMMERCIAL















• High Heat Rejection





99.HSCERWF IR NANO-CERAMIC FILM BANNER 60" W x 30" H



# PERFORMANCE WINDOW FILMS



MADE IN THE USA







**Dved Security Film** 



# Safety / Solar Security "A" Grade Film Scratch-Resistant

Professional grade deep-dyed layer films offer the same protection as the clear security films but also provide heat and glare reduction for increasingly popular automotive and building applications. Film has extra strong, UV-Protected, PS adhesive and a scratch resistant coating. We only use Dupont Teijin® polyester because it is the best quality polyester for safety in the market. Large amount of adhesive on this safety film allow us to surpass American & European standards of impact, shatterproof & drop ball tests.

# DYED SECURITY FILM

(152.4 cm x 30.5 m) 60" x 100' VLT

 VLT
 TSER

 14.XSA15CSR4
 Charcoal
 4 mil
 17%
 43%
 45

 14.XSA50CSR4
 Charcoal
 4 mil
 50%
 29%
 45





# Professional "A" Grade HS IR Nano-Ceramic, Scratch Resistant, Non-Reflective, Non-Metalized, High Heat & UV Rejection

NANO-Ceramic Films, by Herrero & Sons Corp, ensure no signal interference from popular devices such as radios, GPS, key-less entry, cell phones and navigation devices. The unique technology used to produce HS IR Nano-Ceramic makes it the most state-of-the-art automotive film today. The Film provides a proprietary non-metalized, non-conductive Nano-ceramic technology with maximum heat and ultraviolet rejection, excellent optical clarity, and scratch and corrosion-resistant properties. HS IR Nano-Ceramic, dramatically reduce irreversible damage to human skin and vehicle interiors due to harmful ultraviolet (UV), visible, and infrared (IR) rays that penetrate ordinary window glass, while keeping the vehicle significantly cooler. In other words, practically clear films reject high levels of heat as dark films do. HS IR Nano-Ceramic, are light enough to meet visible light transmission laws for windscreens in most countries worldwide and provide the ultimate in comfort and protection as well as an elegant image. Installed HS IR Nano-Ceramic, help maintain temperature in interior surfaces of vehicles, offices or homes up to a maximum of 16°C (30°F) much cooler than in comparison with unprotected glass. This reduction in temperature increases the comfort but also reduces the use of air conditioners, helping to reduce energy costs and fuel consumption. Installer friendly films are easily heat-formed and have PS mounting adhesive for rapid install on curve automotive glass.

# IR NANO-CERAMIC FILM (152.4 cm x 30.5 m) 60" x 100'

ITEM #			<u>VLT</u>	<b>TSER</b>	IR Reject	UV Reject
14.9605	Ceramic Black	2.3Mil	5%	97%	90%	99%
14.9615	Ceramic Black	2.3Mil	15%	89%	90%	99%
14.9630	Ceramic Black	2.3Mil	30%	79%	90%	99%
14.9650	Ceramic Black	2.3Mil	50%	75%	90%	99%
14.9670	Ceramic Blue	2.3Mil	70%	61%	90%	99%















130°F

Without HS IR Nano-Ceramic Window Film

100°F

Protected by HS IR Nano-Ceramic Window Film



# **SCRATCH RESISTANT PERFORMANCE**

SMOKE

99% UV RAYS

IDEAL FOR AUTO, VANS, RV, TRUCKS, HOME, OFFICE, BOATS, ETC...

## DIY STANDARD WINDOW FILM KIT



		5%	20%	35%
딘	Color Darkness	5%	20%	35%
TSER	Heat Rejection	54%	43%	39%



#### **DYED FILM 20" x 10'** (50 cm x 3m)

	SIMOKE	<u>VLI</u>	<u>ijen</u>
14.305	Very Dark Smoke	5%	54%
14.320	Dark Smoke	20%	43%
14.335	Medium Smoke	35%	39%
	CHARCOAL / BLACK	<u>VLT</u>	<u>tser</u>
14.805	Very Dark Charcoal / Black	5%	54%
14.820	Dark Charcoal / Black	20%	43%
14.835	Medium Charcoal / Black	35%	39%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- 1.2 Mil

**SAVES ENERGY** 

TSFR

10 KITS PER MASTER PACK











#### DIY CERAMIC WINDOW FILM KIT



		5%	[15%]	30%
۲	Color Darkness	5%	15%	30%
TSER	Heat Rejection	86%	71%	62%



10 KITS PER MASTER PACK



# **CERAMIC FILM 30" x 10'** (76cm x 3m)

	CERAMIC	<u>VLT</u>	<u>tser</u>
14.705	Ceramic Black	5%	86%
14.715	Ceramic Black	15%	71%
14.730	Ceramic Black	30%	62%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- High Heat Rejection
- 2.3 Mil



**SAVES ENERGY** 











130°F

Without Ceramic Window Film

100°F

Protected with Ceramic Window Film

VIT: VISIBLE LIGHT TRANSMITANCE TSER: TOTAL SOLAR ENERGY REJECTED

# **ALUMINUM, TIRE VALVE CAPS**



5 PC Set

W24 SETS INNER PACK / 144 SETS MASTER PACK



43.820 Black Plastic (5)



**43.825** Chrome Metal (5)



4 PC Set



43.860

Black (4)



**43.842** Anodized Blue (4)



43.862 Anodized Blue (4)



**43.843** Anodized Red (4)



**43.863** Anodized Red (4)



**43.845** Chrome (4)



**43.865** Chrome (4)

24 SETS INNER PACK / 144 SETS MASTER PACK

# HS WHEEL COVERS

## SILVER-BLACK



45.607 16"
Silver Black
Wheel Cover
4 SETS PER MASTER PACK

All of our Wheel Covers are made from Strong, flexible, NON- recycled, 100% virgin abs plastic.

- **1.** Patented, (PAT. NO.151485) Dual metal retention ring with secure clips.
- 2. Grips firmly onto wheel lip.





# **OZIUM AIR SANITIZERS**







**05.0Z-26** 0.8 oz. Aerosol Carbon Black

6 INNER PACK / 48 MASTER PACK





**05.0ZM-26** 3.5 oz. Aerosol Carbon Black

4 INNER PACK / 48 MASTER PACK

# STEERING WHEEL LOCKS





- Highly visible yellow color distracts thieves from break-ins.
- Self locking mechanism.
- The key is only needed to unlock the device.
- Allows the driver to enter or leave the vehicle easily.
- Tough hardened steel construction.
- Foam coated to protect the steering wheel against damage.
- Includes 2 keys.







# INCREASE SAFETY & VISIBILITY IN ANY WEATHER

One bulb contains 2 colors. You can switch from white light to yellow whenever you want by simply turning ON/OFF/ON within 5 seconds.

- Plug and Play / Hassle Free Installation
- Perfect Lighting Beam Pattern
- Built-In 11,000 RPM Turbo Cooling Fan
- Built-In Smart IC Driver
- Built-In CANBUS Decoder

- Double-Sided (1860 Chip)
- Aviation Aluminum Housing
- 10.000 LM Per Double-Sided Set
- IP68 Water-Proof Rate
- Working Temp: -40°C +80°C



**63.LEDH7WY** (H7)

50 PER MASTER PACK










# Microfiber Drying Towel

Waffle Design Absorbs More Water



- Holds More Water
- Spot & Streak Free
- Lint & Scratch Free
- Reduces Drying Time





28.324
Microfiber
Drying Towel
Large 24" x 24"
1PC Pack
20 PER MASTER PACK



28.336
Microfiber
Drying Towel
X-Large 36" x 36"
1PC Pack
20 PER MASTER PACK



# 2 Pcs 5" Microfiber Applicator Pads




2 Pcs Pack



**Ideal For Applying:** 

- Polishes
- Waxes
- Protectants
- Tire Shine



28.352
5" Microfiber
Applicator Pads
2 Pcs Pack
12 INNER PACK /
48 MASTER PACK

# 7 Pcs Wash & Detailing Kit



(1) Two sided Chenille Wash Mitt



(1) Microfiber Drying Towel 24"x 24"



(3) Microfiber Cloths 12" x 16"



(1) 5" Microfiber Applicator Pads



(1) Storage Case

28.307
7 Pcs Wash & Detailing Kit
6 INNER PACK /
12 MASTER PACK



NOTES

NOTES