



**AUTOMOTIVE ACCESSORIES  
CHEMICALS & WINDOW FILM**



# 2026



# SUPPLEMENTAL CATALOG



SCAN ME  
05-21-2026 .V4

WHERE CUSTOMER SERVICE AND  
QUALITY IS OUR PRIORITY!

Visit our website: [www.herreroandsons.com](http://www.herreroandsons.com) or scan the QR code

# HSX3M

PERFORMANCE

**FULL SYNTHETIC**  
EXTENDS ENGINE LIFE

**NEW**



## Discover HSX3M —

The Next Generation Of Motor Oils, Specially Formulated To Meet The Latest **API Category** And Deliver Superior Engine Protection. Our **Full Synthetic oils** deliver peak performance, top-notch protection, and incredible fuel efficiency for modern engines, Meets **API SQ / ILSAC GF-7A** Standards.



**30.702**  
Full Synthetic Oil  
SAE 0W-20 /  
1US Quart  
API **SQ** / ILSAC **GF-7A**



**30.752**  
Full Synthetic Oil  
SAE 5W-20  
1US Quart  
API **SQ** / ILSAC **GF-7A**



**30.753**  
Full Synthetic Oil  
SAE 5W-30  
1US Quart  
API **SQ** / ILSAC **GF-7A**



**30.713**  
Full Synthetic Oil  
SAE 10W-30  
1US Quart  
API **SQ** / ILSAC **GF-7A**



## SYNTHETIC BLEND DIESEL ENGINE OIL

- For hardworking **Diesel Engines**, our 15W-40 Synthetic Blend packs the durability and strength professionals trust every day, Meets **API CK-4** Standards.

**30.715**  
Synthetic Blend SAE  
15W-40  
1US Quart  
Diesel Engine Oil  
API **CK4**

1 US QUART (946 ML / 12 PER CASE / 84 CASES PER PALLET)



**MADE IN USA**

# H5 X3M

PERFORMANCE

NEW



FULL SYNTHETIC  
EXTENDS ENGINE LIFE



**30.502**  
Full Synthetic Oil  
SAE 0W-20  
5US Quart  
API **SQ** / ILSAC **GF-7A**

**30.552**  
Full Synthetic Oil  
SAE 5W-20  
5US Quart  
API **SQ** / ILSAC **GF-7A**

**30.553**  
Full Synthetic Oil  
SAE 5W-30  
5US Quart  
API **SQ** / ILSAC **GF-7A**

5 US QUART (4.73L / 4 PER CASE / 48 CASES PER PALLET)



**30.513**  
Full Synthetic Oil  
SAE 10W-30  
5US Quart  
API **SQ** / ILSAC **GF-7A**

5 US QUART (4.73L /  
4 PER CASE  
/ 48 CASES PER PALLET)



**30.155**  
Diesel Engine Oil  
SAE 15W-40  
5 Gallon Pail  
API **CK4**

45 PAILS PER PALLET



MADE IN USA



# UNIVERSAL CAR MATS

EXCELLENT FOR SUV'S, PICK-UPS, MINI-VANS & CARS


## PLUSH

NON-SLIP **VELCRO** TYPE BACKING

# 4

**PIECE SET**  
CARPET MATS


## VELCRO BACKING




- VELCRO-LIKE BACKING PREVENTS SLIDING
- COLOR MATCHED BORDER
- FITS: AMERICAN, ASIAN AND EUROPEAN VEHICLES

## #1 SELLING MAT


Just got better with **VELCRO BACKING!**



47.310  
Black



47.314  
Dark Grey



47.316  
Charcoal

Twin Front: 17" x 26½"

Twin Rear: 17" x 13½"

8 SETS PER MASTER PACK

**H5 PURPLE BLASTER**

**Glass Cleaner**

**35 oz.**

**Limpiador De Vidrios**

**STREAK FREE - CLEAN!**



**29.635PB**

**35 oz.**

**EXPORT ONLY**

**Purple Blaster Glass & Multi-Surface Cleaner**

is an advanced formula specially formulated to clean glass, mirrors, windows, chrome, plastic, glass stove tops, oven & microwave glass doors, counter tops, tables, ceramics, stainless steel and much more leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

**12 PER CASE**

**32 CASES PER PALLET**

**NEW DELUXE TRIGGER!**

**NEW & IMPROVED**

- **MORE OUNCES**
- **NEW DELUXE TRIGGER**
- **NEW LOOK**
- **STRONGER FORMULA**

**Purple Blaster Glass Cleaner, Streak & Ammonia Free Advanced Formula.**



**MADE IN USA**



**29.632**

**35 oz.**

**Purple Blaster Glass Cleaner**

is an advanced formula specially formulated to clean glass, mirrors, windows, fingerprints, dirt, grime, bug smudges, chrome and other messes on contact leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

**12 PER CASE**

**32 CASES PER PALLET**

# ANTIFREEZE / COOLANT



**29.852-4**

Antifreeze/Coolant

(Blue) Ready Mix 50/50, 1 Gallon  
4 PER CASE / 52 CASES PER PALLET

**HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT** is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

POAT (Phosphate Organic Acid Technology)

\* The Maintenance Council of the American Trucking Assoc. Antifreeze also meets the non-phosphate requirements of European OEM's and non-requirements of Japanese OEM's.



**5 YEARS / 150K MILES PROTECTION**

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

**ASIAN VEHICLES**

**ACURA\*, HONDA\*, INFINITI\*, NISSAN\*, SUBARU\*, SUZUKI\***

- ACURA® | All years including Hybrids & EVs
- HONDA® |
- INFINITI® | 2009 & Newer, including Hybrids & EVs
- NISSAN® |
- SUBARU® |
- SUZUKI® | Newer

**EXTENDED LIFE BLUE FLUID**



The above registered trademarks are owned by third parties.  
POAT (Phosphate Organic Acid Technology)



**29.858-4**

Antifreeze/Coolant

(Pink) Ready Mix 50/50, 1 Gallon  
4 PER CASE / 52 CASES PER PALLET

**HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT** is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

HS Ready Mix 50/50 is recommended for use in:

- Toyota
- Lexus
- KIA
- Honda/Acura
- Mitsubishi
- Subaru
- Daewoo
- Hyundai
- Nissan/Infiniti
- Mazda
- Suzuki
- Daihatsu
- Scion
- Isuzu

<b>Protection</b>	HS 50/50 Premix
<b>Freeze-Up Protection</b>	-34°F
<b>Boil-Over Protection</b>	+265°F



**5 YEARS / 150K MILES PROTECTION**

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

**ASIAN VEHICLES**

FOR USE WITH: ALL MAKES, MODELS & YEARS  
**TOYOTA\*, LEXUS\*, SCION\***  
\*TRADEMARK OWNED BY THIRD PARTIES

**EXTENDED LIFE PINK FLUID**



The above registered trademarks are owned by third parties.  
POAT (Phosphate Organic Acid Technology)



# CHEMICALS PRODUCTS & SILICONES



## 29.4641NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 10 oz.  
**12 PER CASE**



## 29.4642NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 16.25 oz.  
**12 PER CASE**



## 29.4724 Throttle Body & Air Intake Cleaner

Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance.

NET WT. 10 oz.  
**12 PER CASE**



## 29.4600 Electronics Cleaner

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue.

NET WT. 10 oz.  
**12 PER CASE**



## 29.4721 Mass Air Flow Sensor Cleaner

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance.

NET WT. 10 oz.  
**12 PER CASE**



## 29.6762 Starting Fluid

Helps start stubborn engines fast in cold weather. Saves batteries. Contains upper cylinder lubricants.

NET WT. 10.7 oz.  
**12 PER CASE**



## 29.6812UV-6 Lubricant With UV DYE

Three different viscosity grades of premium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems.

NET WT. 8 oz.  
**6 PER CASE**

## Automotive Silicone

### MEGA BLACK



## 31.99839 3 oz.

**SENSOR SAFE**

Mega Black Silicone is a high-flex, low odor, non-corrosive, sensor/safe, moisture curing gasketing material that cures into a strong silicone rubber that maintains long lasting durability and performance to make formed-in-place gaskets. This tough, flexible silicone rubber gasket resists aging and weathering. Will not harden, shrink, or crack. Non-corrosive to steel, iron, and aluminum.

**TEMP. RESISTANCE:** -100°F to +650°F  
(-73°C to + 343°C)

# REFRIGERANTS



## HONEYWELL R1234YF HFO-1234YF LOW GLOBAL WARMING POTENTIAL 8 OZ AUTOMOTIVE REFRIGERANT (4 PACK)



**SELF SEALING  
VALV**



MADE IN USA



**29.08R1234YF**  
**Automotive A/C**  
**Refrigerant**  
EASY TO USE  
Self Sealing Can

For R-1234YF Automotive Air conditioning Systems. Advanced formula provides maximum cooling power.

NET WT. 8 oz. (226 g)  
**4 PER CASE**



## R-134A 30 LB. CYLINDERS



**SELF  
SEALING  
VALVE**



**29.PRF134A**  
**134A Refrigerant**

For R134a Automotive Air Conditioning Systems. Advanced formula provides maximum cooling power.

NET WT. 12 oz.  
**12 PER CASE**  
**102 CASES PER PALLET**



**29.13430**  
**134A Refrigerant**  
**30 lb. Cylinder**  
**40 CYLINDERS PER PALLET**

# HS<sup>®</sup> NANO CERAMIC WINDOW FILMS

PERFORMANCE WINDOW FILMS  
HIGH IR & HEAT REJECTION **SCRATCH RESISTANT**



Does Not Interrupt Radio, GPS Frequency

	5%	15%	30%	50%	70%
<b>VLT</b> Color Darkness	5%	15%	30%	50%	70%
<b>TSER</b> Heat Rejection	97%	89%	79%	75%	61%
<b>IR</b> Infrared	90%	90%	90%	90%	90%
<b>UV</b> Ultraviolet	99%	99%	99%	99%	99%

## Professional "A" Grade HS IR Nano-Ceramic, Scratch Resistant, Non-Reflective, Non-Metalized, High Heat & UV Rejection

NANO-Ceramic Films, by Herrero & Sons Corp, ensure no signal interference from popular devices such as radios, GPS, key-less entry, cell phones and navigation devices. The unique technology used to produce HS IR Nano-Ceramic makes it the most state-of-the-art automotive film today. The Film provides a proprietary non-metalized, non-conductive Nano-ceramic technology with maximum heat and ultraviolet rejection, excellent optical clarity, and scratch and corrosion-resistant properties. HS IR Nano-Ceramic, dramatically reduce irreversible damage to human skin and vehicle interiors due to harmful ultraviolet (UV), visible, and infrared (IR) rays that penetrate ordinary window glass, while keeping the vehicle significantly cooler. In other words, practically clear films reject high levels of heat as dark films do. HS IR Nano-Ceramic, are light enough to meet visible light transmission laws for windshields in most countries worldwide and provide the ultimate in comfort and protection as well as an elegant image. Installed HS IR Nano-Ceramic, help maintain temperature in interior surfaces of vehicles, offices or homes up to a maximum of 16°C (30°F) much cooler than in comparison with unprotected glass. This reduction in temperature increases the comfort but also reduces the use of air conditioners, helping to reduce energy costs and fuel consumption. Installer friendly films are easily heat-formed and have PS mounting adhesive for rapid install on curve automotive glass.

### IR NANO-CERAMIC FILM (152.4 cm x 30.5 m) 60" x 100'

ITEM #			<u>VLT</u>	<u>TSER</u>	<u>IR Reject</u>	<u>UV Reject</u>
<b>14.9605</b>	Ceramic Black	2.3Mil	5%	97%	90%	99%
<b>14.9615</b>	Ceramic Black	2.3Mil	15%	89%	90%	99%
<b>14.9630</b>	Ceramic Black	2.3Mil	30%	79%	90%	99%
<b>14.9650</b>	Ceramic Black	2.3Mil	50%	75%	90%	99%
<b>14.9670</b>	Ceramic Blue	2.3Mil	70%	61%	90%	99%



130°F

Without HS IR Nano-Ceramic Window Film

100°F

Protected by HS IR Nano-Ceramic Window Film



SCRATCH RESISTANT PERFORMANCE

# WINDOW FILMS

99% UV RAYS REJECTED

IDEAL FOR AUTO, VANS, RV, TRUCKS, HOME, OFFICE, BOATS, ETC...

## DIY STANDARD WINDOW FILM KIT



### DYED FILM 20" x 10' (50 cm x 3m)

#### SMOKE

	VLT	TSER
14.305 Very Dark Smoke	5%	54%
14.320 Dark Smoke	20%	43%
14.335 Medium Smoke	35%	39%

#### CHARCOAL / BLACK

	VLT	TSER
14.805 Very Dark Charcoal / Black	5%	54%
14.820 Dark Charcoal / Black	20%	43%
14.835 Medium Charcoal / Black	35%	39%

- SAVES ENERGY
- PROTECTS INTERIOR
- EXTENDS PRIVACY
- INCREASES SAFETY
- ENHANCES APPEARANCE
- NO SIGNAL INTERFERENCE

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- 1.2 Mil

10 KITS PER MASTER PACK

5% 20% 35%

VLT	Color Darkness	5%	20%	35%
TSER	Heat Rejection	54%	43%	39%

## DIY CERAMIC WINDOW FILM KIT



HIGH HEAT REJECTION



### CERAMIC FILM 30" x 10' (76cm x 3m)

#### CERAMIC

	VLT	TSER
14.705 Ceramic Black	5%	86%
14.715 Ceramic Black	15%	71%
14.730 Ceramic Black	30%	62%

- SAVES ENERGY
- PROTECTS INTERIOR
- EXTENDS PRIVACY
- INCREASES SAFETY
- ENHANCES APPEARANCE
- NO SIGNAL INTERFERENCE

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- High Heat Rejection
- 2.3 Mil

10 KITS PER MASTER PACK

5% 15% 30%

VLT	Color Darkness	5%	15%	30%
TSER	Heat Rejection	86%	71%	62%



Does Not Interrupt Radio, GPS Frequency

130°F

Without Ceramic Window Film

100°F

Protected with Ceramic Window Film

VLT: VISIBLE LIGHT TRANSMITTANCE

TSER: TOTAL SOLAR ENERGY REJECTED



# PERFORMANCE WINDOW FILMS



MADE IN THE USA



## Safety / Solar Security "A" Grade Film Scratch-Resistant

Professional grade deep-dyed layer films offer the same protection as the clear security films but also provide heat and glare reduction for increasingly popular automotive and building applications. Film has extra strong, UV-Protected, PS adhesive and a scratch resistant coating. We only use Dupont Teijin® polyester because it is the best quality polyester for safety in the market. Large amount of adhesive on this safety film allow us to surpass American & European standards of impact, shatterproof & drop ball tests.

**Clear Security Film**



**Dyed Security Film**



### DYED SECURITY FILM (152.4 cm x 30.5 m) 60" x 100'

14.XSA15CSR4  
14.XSA50CSR4


		4 mil	<u>VL</u> 17%	<u>TSER</u> 43%
Charcoal	4 mil	50%	29%	



**HS** Professional's Choice  
**Ultra Gloss™**  
 The Ultimate Shine!

**Microfiber Drying Towel**

**Waffle  
 Design  
 Absorbs  
 More Water**



- Super Absorbant Waffle Design
- Holds More Water
- Spot & Streak Free
- Lint & Scratch Free
- Reduces Drying Time



**Size: 24" x 24"**  
**Large**


**28.324**  
 Microfiber  
 Drying Towel  
 Large 24" x 24"  
 1PC Pack  
**20 PER MASTER PACK**



**Size: 36" x 36"**  
**X-Large**

**28.336**  
 Microfiber  
 Drying Towel  
 X-Large 36" x 36"  
 1PC Pack  
**20 PER MASTER PACK**

**HS** Professional's Choice  
**Ultra Gloss™**  
 The Ultimate Shine!



**2 Pcs 5" Microfiber Applicator Pads**



2 Pcs Pack



Ideal For Applying:

- Polishes
- Waxes
- Protectants
- Tire Shine

**28.352**  
 5" Microfiber  
 Applicator Pads  
 2 Pcs Pack  
**12 INNER PACK /**  
**48 MASTER PACK**

**7 Pcs Wash & Detailing Kit**



**CLEAN**

(1) Two sided Chenille Wash Mitt



**DRY**

(1) Microfiber Drying Towel 24" x 24"



**DETAIL**

(3) Microfiber Cloths  
 12" x 16"



**POLISH**

(1) 5" Microfiber Applicator Pads



(1) Storage Case

**28.307**  
 7 Pcs Wash & Detailing Kit  
**6 INNER PACK /**  
**12 MASTER PACK**

**SMALL**



**05.OZ-26**  
0.8 oz. Aerosol  
Carbon Black

6 INNER PACK / 48 MASTER PACK

**MEDIUM**



**05.OZM-26**  
3.5 oz. Aerosol  
Carbon Black

4 INNER PACK / 48 MASTER PACK

## STEERING WHEEL LOCKS



- Highly visible yellow color distracts thieves from break-ins.
- Self locking mechanism.
- The key is only needed to unlock the device.
- Allows the driver to enter or leave the vehicle easily.
- Tough hardened steel construction.
- Foam coated to protect the steering wheel against damage.
- Includes 2 keys.



**Hammerhead™**  
**Steering Wheel Lock**

**54.750**

Heavy Duty Tough Lock™

4 INNER PACK / 8 MASTER PACK

## PLASTIC & CHROME, TIRE VALVE CAPS



5 PC Set



43.820  
Black  
Plastic (5)



43.825  
Chrome  
Metal (5)



4 PC Set



43.840  
Black (4)



43.842  
Anodized  
Blue (4)



43.843  
Anodized  
Red (4)



43.845  
Chrome (4)



43.860  
Black (4)



43.862  
Anodized  
Blue (4)



43.863  
Anodized  
Red (4)



43.865  
Chrome (4)

W24 SETS INNER PACK / 144 SETS MASTER PACK

24 SETS INNER PACK / 144 SETS MASTER PACK

## HS WHEEL COVERS

SILVER-BLACK



45.607 16"

Silver Black  
Wheel Cover

4 SETS PER MASTER PACK

All of our Wheel Covers are made from Strong, flexible, NON- recycled, 100% virgin abs plastic.

1. Patented, (PAT. NO.151485) Dual metal retention ring with secure clips.
2. Grips firmly onto wheel lip.



Pat. No.  
151485

ADJUSTABLE  
"RING & CLIP"  
FOR A STRONGER  
HOLD-GRIP!





# MEGATROMP™

**EXTREMELY  
WARNING  
LOUD**

**22.750**

**Megatromp (Black)**

**(8 Per Master Pack)**

**Dual Metal Powder Coated  
wDual Heavy Duty Compressors  
One Very Loud Simultaneous  
Diesel Sound**



**MATTE  
BLACK**



**SCAN ME**



**Maintenance Free**



**High Powered Compressors**



**Hardware Included**



**Easy Installation**



**Dual Metal Powder Coated**



**Matte Black Air Horns**



**Dual Heavy Duty Compressors**



**Very Loud Sound**

**12 VOLTS**

©2024



7 30157 22750 9



