



**AUTOMOTIVE ACCESSORIES
CHEMICALS & WINDOW FILM**



2026



SUPPLEMENTAL CATALOG



SCAN ME
07-13-2026 .V5

WHERE CUSTOMER SERVICE AND
QUALITY IS OUR PRIORITY!

Visit our website: www.herreroandsons.com or scan the QR code



HS[®]

LUXURY SCENTS

AIR PURIFYING SPRAY

Designer-Inspired Fragrance
Tough on SMOKE, MALODOROUS,
and MUSTY Smells.

POWERFUL ODOR ELIMINATOR



05.761
Luna
Inspired By
Yves St. Laurent[®]
"Black Opium"[®]
3.5 OZ



05.762
Fyre
Inspired By
Paco Rabanne[®]
"1 Million"
3.5 OZ



05.763
Nova
Inspired by
Chanel[®]
"Bleu De Chanel"
3.5 OZ



05.764
Skye
Inspired By
Marc Jacobs[®]
"Daisy"[®]
3.5 OZ



05.765
Axon
Inspired By
Giorgio Armani[®]
"Armani Code"[®]
3.5 OZ



05.766
Zora
Inspired By
Dolce & Gabbana[®]
"The One"[®]
3.5 OZ

6 PER DISPLAY/ 3 DISPLAYS PER MASTER BOX



HS
LUXURY SCENTS
AIR PURIFYNG SPRAY

ASSORTMENT

05.791

Designer Inspired Fragrances / Odor Eliminator
Air Purifyng Spray
Mix: (Fyre, Skye, Nova)

9 PER DISPLAY/ 2 DISPLAYS PER MASTER BOX



ASSORTMENT

05.792

Designer Inspired Fragrances / Odor Eliminator
Air Purifyng Spray
Mix: (Luna, Axon, Zora)

9 PER DISPLAY/ 2 DISPLAYS PER MASTER BOX

NO SPILLS! NO SPLATTER! NO MESS!



Organic

NET WEIGHT 1.5 OZ.



**05.813
Lavender**



#1 Selling Air Freshener

OZIUM AIR SANITIZERS

OZIUM®


SMALL



05.OZ-26
0.8 oz. Aerosol
Carbon Black

6 INNER PACK / 48 MASTER PACK

MEDIUM



05.OZM-26
3.5 oz. Aerosol
Carbon Black

4 INNER PACK / 48 MASTER PACK

**H5 PURPLE
BLASTER**

Glass Cleaner
Limpiador De Vidrios

35 oz.

STREAK FREE - CLEAN!



29.635PB

35 oz.

EXPORT ONLY

**Purple Blaster Glass &
Multi-Surface Cleaner**

is an advanced formula specially formulated to clean glass, mirrors, windows, chrome, plastic, glass stove tops, oven & microwave glass doors, counter tops, tables, ceramics, stainless steel and much more leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

12 PER CASE

32 CASES PER PALLET

NEW DELUXE TRIGGER!

**NEW &
IMPROVED**

- MORE OUNCES
- NEW DELUXE TRIGGER
- NEW LOOK
- STRONGER FORMULA

**Purple Blaster Glass Cleaner,
Streak & Ammonia Free
Advanced Formula.**



29.632

35 oz.

Purple Blaster Glass Cleaner

is an advanced formula specially formulated to clean glass, mirrors, windows, fingerprints, dirt, grime, bug smudges, chrome and other messes on contact leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

12 PER CASE

32 CASES PER PALLET

H5X3MTM

PERFORMANCE

FULL SYNTHETIC EXTENDS ENGINE LIFE



FULL SYNTHETIC

The Next Generation Of Motor Oils, Specially Formulated To Meet The Latest **API Category** And Deliver Superior Engine Protection. Our **Full Synthetic oils** deliver peak performance, top-notch protection, and incredible fuel efficiency for modern engines. Meets **API SQ / ILSAC GF-7A** Standards.



30.702
Full Synthetic Oil
SAE 0W-20
1US Quart
API **SQ** / ILSAC **GF-7A**



30.752
Full Synthetic Oil
SAE 5W-20
1US Quart
API **SQ** / ILSAC **GF-7A**



30.753
Full Synthetic Oil
SAE 5W-30
1US Quart
API **SQ** / ILSAC **GF-7A**



30.713
Full Synthetic Oil
SAE 10W-30
1US Quart
API **SQ** / ILSAC **GF-7A**



SYNTHETIC BLEND DIESEL ENGINE OIL

• For hardworking **Diesel Engines**, our 15W-40 Synthetic Blend packs the durability and strength professionals trust every day, Meets **API CK-4** Standards.

30.715
Synthetic Blend SAE
15W-40
1US Quart
Diesel Engine Oil
API **CK-4**



MADE IN USA

5 US QUART (4.73L / 4 PER CASE / 48 CASES PER PALLET)

H5X3MTM

PERFORMANCE



FULL SYNTHETIC EXTENDS ENGINE LIFE



30.502
Full Synthetic Oil
SAE 0W-20
5US Quart
API **SQ** / ILSAC **GF-7A**



30.552
Full Synthetic Oil
SAE 5W-20
5US Quart
API **SQ** / ILSAC **GF-7A**



30.553
Full Synthetic Oil
SAE 5W-30
5US Quart
API **SQ** / ILSAC **GF-7A**

5 US QUART (4.73L / 4 PER CASE / 48 CASES PER PALLET)



30.513
Full Synthetic Oil
SAE 10W-30
5US Quart
API **SQ** / ILSAC **GF-7A**
5 US QUART (4.73L /
4 PER CASE
/ 48 CASES PER PALLET)

SYNTHETIC BLEND DIESEL ENGINE OIL



30.155
Synthetic Blend SAE
Diesel Engine Oil
SAE 15W-40
5 Gallon Pail
API **CK-4**
45 PAILS PER PALLET



MADE IN USA

ANTIFREEZE / COOLANT



29.852-4

Antifreeze/Coolant

(Blue) Ready Mix 50/50, 1 Gallon
4 PER CASE / 52 CASES PER PALLET

HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

POAT (Phosphate Organic Acid Technology)

* The Maintenance Council of the American Trucking Assoc. Antifreeze also meets the non-phosphate requirements of European OEM's and non-requirements of Japanese OEM's.

ACURA® | All years including
HONDA® | Hybrids & EVs
INFINITI® |
NISSAN® | 2009 & Newer,
SUBARU® | including
SUZUKI® | Hybrids & EVs
Newer



5 YEARS / 150K MILES PROTECTION

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

ASIAN VEHICLES

**ACURA*, HONDA*, INFINITI*,
NISSAN*, SUBARU*, SUZUKI***

**EXTENDED LIFE
BLUE FLUID**



The above registered trademarks are owned by third parties.
POAT (Phosphate Organic Acid Technology)



29.858-4

Antifreeze/Coolant

(Pink) Ready Mix 50/50, 1 Gallon
4 PER CASE / 52 CASES PER PALLET

HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

HS Ready Mix 50/50 is recommended for use in:

- Toyota
- Lexus
- KIA
- Honda/Acura
- Mitsubishi
- Subaru
- Daewoo
- Hyundai
- Nissan/Infiniti
- Mazda
- Suzuki
- Daihatsu
- Scion
- Isuzu

Protection	HS 50/50 Premix
Freeze-Up Protection	-34°F
Boil-Over Protection	+265°F



5 YEARS / 150K MILES PROTECTION

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

ASIAN VEHICLES

FOR USE WITH: ALL MAKES, MODELS & YEARS
TOYOTA*, LEXUS*, SCION*

*TRADEMARK OWNED BY THIRD PARTIES

**EXTENDED LIFE
PINK FLUID**



The above registered trademarks are owned by third parties.
POAT (Phosphate Organic Acid Technology)



CHEMICALS PRODUCTS & SILICONES



29.4641NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 10 oz.
12 PER CASE



29.4642NC Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 16.25 oz.
12 PER CASE



29.4724 Throttle Body & Air Intake Cleaner

Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance.

NET WT. 10 oz.
12 PER CASE



29.4600 Electronics Cleaner

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue.

NET WT. 10 oz.
12 PER CASE



29.4721 Mass Air Flow Sensor Cleaner

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance.

NET WT. 10 oz.
12 PER CASE



29.6762 Starting Fluid

Helps start stubborn engines fast in cold weather. Saves batteries. Contains upper cylinder lubricants.

NET WT. 10.7 oz.
12 PER CASE



29.6812UV-6 Lubricant With UV DYE

Three different viscosity grades of premium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems.

NET WT. 8 oz.
6 PER CASE

Automotive Silicone

MEGA BLACK



31.99839 3 oz.

SENSOR SAFE

MegaBlack Silicone is a high-flex, low odor, non-corrosive, sensor/safe, moisture curing gasketing material that cures into a strong silicone rubber that maintains long lasting durability and performance to make formed-in-place gaskets. This tough, flexible silicone rubber gasket resists aging and weathering. Will not harden, shrink, or crack. Non-corrosive to steel, iron, and aluminum.

TEMP. RESISTANCE: -100°F to +650°F
(-73°C to + 343°C)

REFRIGERANTS

HONEYWELL R1234YF HFO-1234YF LOW GLOBAL WARMING POTENTIAL 8 OZ AUTOMOTIVE REFRIGERANT (4 PACK)



**SELF
SEALING
VALVE**



29.08R1234YF
Automotive A/C
Refrigerant
EASY TO USE
Self Sealing Can

For R-1234YF Automotive
Air conditioning Systems. Advanced formula
provides maximum cooling power.

NET WT. 8 oz. (226 g)
4 PER CASE



**SELF
SEALING
VALVE**



29.PR134A
134A Refrigerant

For R134a Automotive Air Conditioning
Systems. Advanced formula provides
maximum cooling power.

NET WT. 12 oz.
12 PER CASE
102 CASES PER PALLET

R-134A 30 LB. CYLINDERS



29.13430
134A Refrigerant
30 lb. Cylinder
40 CYLINDERS PER PALLET



UNIVERSAL CAR MATS

EXCELLENT FOR SUV'S, PICK-UPS, MINI-VANS & CARS

PLUSH

NON-SLIP **VELCRO** TYPE BACKING

VELCRO BACKING


4

PIECE
SET
CARPET MATS


- VELCRO-LIKE BACKING PREVENTS SLIDING
- COLOR MATCHED BORDER
- FITS: AMERICAN, ASIAN AND EUROPEAN VEHICLES

#1 SELLING MAT


Just got better with **VELCRO BACKING!**



47.310
Black



47.314
Dark Grey



47.316
Charcoal

Twin Front: 17" x 26½"

Twin Rear: 17" x 13½"


8 SETS PER MASTER PACK

HS *Professional's Choice* **Ultra Gloss™** *The Ultimate Shine!*

Microfiber Drying Towel

**Waffle
 Design
 Absorbs
 More Water**

- Super Absorbant Waffle Design
- Holds More Water
- Spot & Streak Free
- Lint & Scratch Free
- Reduces Drying Time



Size: 24" x 24"
Large

28.324
 Microfiber
 Drying Towel
 Large 24" x 24"
 1PC Pack
20 PER MASTER PACK



Size: 36" x 36"
X-Large

28.336
 Microfiber
 Drying Towel
 X-Large 36" x 36"
 1PC Pack
20 PER MASTER PACK

HS Professional's Choice **Ultra Gloss™** *The Ultimate Shine!*

2 Pcs 5" Microfiber Applicator Pads




2 Pcs Pack



Ideal For Applying:

- Polishes
- Waxes
- Protectants
- Tire Shine



28.352
 5" Microfiber
 Applicator Pads
 2 Pcs Pack
12 INNER PACK /
48 MASTER PACK

7 Pcs Wash & Detailing Kit



CLEAN
 (1) Two sided Chenille
 Wash Mitt



DRY
 (1) Microfiber Drying
 Towel 24"x 24"



DETAIL
 (3) Microfiber Cloths
 12" x 16"



POLISH
 (1) 5" Microfiber
 Applicator Pads



(1) Storage Case

28.307
 7 Pcs Wash & Detailing Kit
6 INNER PACK /
12 MASTER PACK

HS[®] NANO CERAMIC WINDOW FILMS

PERFORMANCE
HIGH IR & HEAT REJECTION **SCRATCH RESISTANT**



Does Not Interrupt Radio, GPS Frequency

	5%	15%	30%	50%	70%
VLT Color Darkness	5%	15%	30%	50%	70%
TSER Heat Rejection	97%	89%	79%	75%	61%
IR Infrared	90%	90%	90%	90%	90%
UV Ultraviolet	99%	99%	99%	99%	99%

Professional "A" Grade HS IR Nano-Ceramic, Scratch Resistant, Non-Reflective, Non-Metalized, High Heat & UV Rejection

NANO-Ceramic Films, by Herrero & Sons Corp, ensure no signal interference from popular devices such as radios, GPS, key-less entry, cell phones and navigation devices. The unique technology used to produce HS IR Nano-Ceramic makes it the most state-of-the-art automotive film today. The Film provides a proprietary non-metalized, non-conductive Nano-ceramic technology with maximum heat and ultraviolet rejection, excellent optical clarity, and scratch and corrosion-resistant properties. HS IR Nano-Ceramic, dramatically reduce irreversible damage to human skin and vehicle interiors due to harmful ultraviolet (UV), visible, and infrared (IR) rays that penetrate ordinary window glass, while keeping the vehicle significantly cooler. In other words, practically clear films reject high levels of heat as dark films do. HS IR Nano-Ceramic, are light enough to meet visible light transmission laws for windshields in most countries worldwide and provide the ultimate in comfort and protection as well as an elegant image. Installed HS IR Nano-Ceramic, help maintain temperature in interior surfaces of vehicles, offices or homes up to a maximum of 16°C (30°F) much cooler than in comparison with unprotected glass. This reduction in temperature increases the comfort but also reduces the use of air conditioners, helping to reduce energy costs and fuel consumption. Installer friendly films are easily heat-formed and have PS mounting adhesive for rapid install on curve automotive glass.

IR NANO-CERAMIC FILM (152.4 cm x 30.5 m) 60" x 100'

ITEM #			VLT	TSER	IR Reject	UV Reject
14.9605	Ceramic Black	2.3Mil	5%	97%	90%	99%
14.9615	Ceramic Black	2.3Mil	15%	89%	90%	99%
14.9630	Ceramic Black	2.3Mil	30%	79%	90%	99%
14.9650	Ceramic Black	2.3Mil	50%	75%	90%	99%
14.9670	Ceramic Blue	2.3Mil	70%	61%	90%	99%



130°F

Without HS IR Nano-Ceramic Window Film

100°F

Protected by HS IR Nano-Ceramic Window Film

**SCRATCH RESISTANT PERFORMANCE**

WINDOW FILMS

99% UV RAYS REJECTED

IDEAL FOR AUTO, VANS, RV, TRUCKS, HOME, OFFICE, BOATS, ETC...

DIY STANDARD WINDOW FILM KIT



DYED FILM 20" x 10' (50 cm x 3m)

SMOKE

14.305	Very Dark Smoke
14.320	Dark Smoke
14.335	Medium Smoke

VLT

5%
20%
35%

TSER

54%
43%
39%

**5%****20%****35%**

VLT	Color Darkness	5%	20%	35%
TSER	Heat Rejection	54%	43%	39%

CHARCOAL / BLACK

14.805	Very Dark Charcoal / Black
14.820	Dark Charcoal / Black
14.835	Medium Charcoal / Black

VLT

5%
20%
35%

TSER

54%
43%
39%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- 1.2 Mil

10 KITS PER MASTER PACK

DIY CERAMIC WINDOW FILM KIT

**HIGH HEAT REJECTION**

CERAMIC FILM 30" x 10' (76cm x 3m)

CERAMIC

14.705	Ceramic Black
14.715	Ceramic Black
14.730	Ceramic Black

VLT

5%
15%
30%

TSER

86%
71%
62%

**5%****15%****30%**

VLT	Color Darkness	5%	15%	30%
TSER	Heat Rejection	86%	71%	62%

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- High Heat Rejection
- 2.3 Mil

10 KITS PER MASTER PACK



Does Not Interrupt Radio, GPS Frequency

130°F

Without Ceramic Window Film

100°F

Protected with Ceramic Window Film

VLT: VISIBLE LIGHT TRANSMITTANCE

TSER: TOTAL SOLAR ENERGY REJECTED



PERFORMANCE WINDOW FILMS



MADE IN THE USA



Safety / Solar Security "A" Grade Film Scratch-Resistant

Professional grade deep-dyed layer films offer the same protection as the clear security films but also provide heat and glare reduction for increasingly popular automotive and building applications. Film has extra strong, UV-Protected, PS adhesive and a scratch resistant coating. We only use Dupont Teijin® polyester because it is the best quality polyester for safety in the market. Large amount of adhesive on this safety film allow us to surpass American & European standards of impact, shatterproof & drop ball tests.

Clear Security Film

Dyed Security Film



DYED SECURITY FILM (152.4 cm x 30.5 m) 60" x 100'

14.XSA15CSR4

14.XSA50CSR4

Charcoal

4 mil

VLT
17%

TSER
43%

HS

Charcoal

4 mil

50%

29%

HS

STEERING WHEEL LOCKS



- Highly visible yellow color distracts thieves from break-ins.
- Self locking mechanism.
- The key is only needed to unlock the device.
- Allows the driver to enter or leave the vehicle easily.
- Tough hardened steel construction.
- Foam coated to protect the steering wheel against damage.
- Includes 2 keys.



Hammerhead™
Steering Wheel Lock

54.750

Heavy Duty Tough Lock™

4 INNER PACK / 8 MASTER PACK

PLASTIC & CHROME, TIRE VALVE CAPS



5 PC
Set



43.820
Black
Plastic (5)



43.825
Chrome
Metal (5)



4 PC
Set



43.840
Black (4)



43.842
Anodized
Blue (4)



43.843
Anodized
Red (4)



43.845
Chrome (4)



43.860
Black (4)



43.862
Anodized
Blue (4)



43.863
Anodized
Red (4)



43.865
Chrome (4)

W24 SETS INNER PACK / 144 SETS MASTER PACK

24 SETS INNER PACK / 144 SETS MASTER PACK

HS WHEEL COVERS

SILVER-BLACK



45.607 16"

Silver Black
Wheel Cover

4 SETS PER MASTER PACK

All of our Wheel Covers are made from Strong, flexible, NON- recycled, 100% virgin abs plastic.

1. Patented, (PAT. NO.151485) Dual metal retention ring with secure clips.
2. Grips firmly onto wheel lip.





MEGATROMP™

**EXTREMELY
WARNING
LOUD**

22.750

Megatromp (Black)

(8 Per Master Pack)

**Dual Metal Powder Coated
wDual Heavy Duty Compressors
One Very Loud Simultaneous
Diesel Sound**



**MATTE
BLACK**



SCAN ME



Maintenance Free



High Powered Compressors



Hardware Included



Easy Installation



Dual Metal Powder Coated



Matte Black Air Horns



Dual Heavy Duty Compressors



Very Loud Sound

12 VOLTS

©2024



This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a template for writing or drawing. The margins are consistent on all sides.

[illegible]