HS

AUTOMOTIVE ACCESSORIES CHEMICALS & WINDOW FILM

HERRERO & SONS CORP.
50 YEARS
1976 - 2026
ANNIVERSARY

2026



SUPPLEMENTAL CATALOG

WHERE CUSTOMER SERVICE AND
QUALITY IS OUR PRIORITY!

SCAN ME

10-12-2026 .V6

Visit our website: www.herreroandsons.com or scan the QR code

NEW

HS® LUXURY SCENTS
AIR PURIFYNG SPRAY

Designer-Inspired Fragrance
Tough on SMOKE, MALODOROUS, and MUSTY Smells.

POWERFUL ODOR ELIMINATOR



05.761
Luna
Inspired By
Yves St. Laurent®
"Black Opium"
3.5 OZ



05.762
Fyre
Inspired By
Paco Rabane®
" 1 Million"
3.5 OZ



05.763
Nova
Inspired by
Chanel®
" Bleu De Chanel"
3.5 OZ





05.764
Skye
Inspired By
Marc Jacobs®
"Daisy"
3.5 OZ



05.765
Axon
Inspired By
Giorgio Armani®
"Armani Code"
3.5 OZ



05.766
Zora
Inspired By
Dolce & Gabbana®
"The One"
3.5 OZ

6 PER DISPLAY/ 3 DISPLAYS PER MASTER BOX

HS® LUXURY SCENTS
AIR PURIFYNG SPRAY



NEW



ASSORTMENT

Display Includes:
3 of the following Fragances

Fyre: Inspired By **Paco Rabane®** " 1 Million"
Skye: Inspired By **Marc Jacobs®** "Daisy"
Nova: Inspired by **Chanel®**" Bleu De Chanel"

05.791
Designer Inspired Fragances / Odor Eliminator
Air Purifyng Spray
Mix: (Fyre, Skye, Nova) 3.5 oz

9 PER DISPLAY/ 2 DISPLAYS PER MASTER BOX





ASSORTMENT

Display Includes:
3 of the following Fragances

Luna: Inspired By **Yves St. Laurent®**"Black Opium"
Axon: Inspired By **Giorgio Armani®** "Armani Code"
Zora: Inspired By **Dolce & Gabbana®** "The One"

05.792
Designer Inspired Fragances / Odor Eliminator
Air Purifyng Spray
Mix: (Luna, Axon, Zora) 3.5 oz.

9 PER DISPLAY/ 2 DISPLAYS PER MASTER BOX

NO SPILLS! NO SPLATTER! NO MESS!



Scratch N Sniff

Organic

NET WEIGHT 1.5 OZ.



05.813
Lavender



#1 Selling Air Freshener

OZIUM AIR SANITIZERS

OZIUM

SMALL



05.OZ-26
0.8 oz. Aerosol
Carbon Black
6 INNER PACK / 48 MASTER PACK

MEDIUM



05.OZM-26
3.5 oz. Aerosol
Carbon Black
4 INNER PACK / 48 MASTER PACK

HS PURPLE BLASTER®

Glass Cleaner 35 oz.

Limpiador De Vidrios







STREAK FREE - CLEAN!



29.635PB

35 oz.

EXPORT ONLY

Purple Blaster Glass & Multi-Surface Cleaner

is an advanced formula specially formulated to clean glass, mirrors, windows, chrome, plastic, glass stove tops, oven & microwave glass doors, counter tops, tables, ceramics, stainless steel and much more leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

12 PER CASE

32 CASES PER PALLET

NEW & IMPROVED

- MORE OUNCES
- NEW DELUXE TRIGGER
- NEW LOOK
- STRONGER FORMULA

Purple Blaster Glass Cleaner, Streak & Ammonia Free Advanced Formula.

MADE IN USA

SCAN ME



29.632

35 oz.

Purple Blaster Glass Cleaner is an advanced formula specially formulated to clean glass, mirrors, windows, fingerprints, dirt, grime, bug smudges, chrome and other messes on contact leaving a clean and streak free surface. The ammonia free formula works excellent and is safe on windows or glass that have window film.

12 PER CASE

32 CASES PER PALLET

NEW DELUXE TRIGGER!

HSX3M PERFORMANCE

FULL SYNTHETIC EXTENDS ENGINE LIFE

FOR GASOLINE ENGINES — AMERICAN PETROLEUM INSTITUTE CERTIFIED

FULL SYNTHETIC –

The Next Generation Of Motor Oils, Specially Formulated To Meet The Latest **API Category** And Deliver Superior Engine Protection.Our **Full Synthetic oils** deliver peak performance, top-notch protection, and incredible fuel efficiency for modern engines, Meets **API SQ / ILSAC GF-7A** Standards.



30.702
Full Synthetic Oil
SAE 0W-20
API **SQ** / ILSAC **GF-7A**



30.752
Full Synthetic Oil
SAE 5W-20
API **SQ** / ILSAC **GF-7A**



30.753
Full Synthetic Oil
SAE 5W-30
API **SQ** / ILSAC **GF-7A**



30.713
Full Synthetic Oil
SAE 10W-30
API **SQ** / ILSAC **GF-7A**



SYNTHETIC BLEND DIESEL ENGINE OIL

- For hardworking **Diesel Engines**, our 15W-40 Synthetic Blend packs the durability and strength professionals trust every day, Meets **API CK-4** Standards.

30.715
Synthetic Blend SAE 15W-40 Diesel Engine Oil
API **CK-4**

1 US QUART (946ml) / 12 PER CASE / 84 CASES PER PALLET

MADE IN USA

HSX3M PERFORMANCE

FULL SYNTHETIC
EXTENDS ENGINE LIFE

FOR GASOLINE ENGINES — AMERICAN PETROLEUM INSTITUTE CERTIFIED



30.502
Full Synthetic Oil
SAE 0W-20
API **SQ** / ILSAC **GF-7A**



30.552
Full Synthetic Oil
SAE 5W-20
API **SQ** / ILSAC **GF-7A**



30.553
Full Synthetic Oil
SAE 5W-30
API **SQ** / ILSAC **GF-7A**

5 US QUART (4.73L) / 4 PER CASE / 48 CASES PER PALLET



30.513
Full Synthetic Oil
SAE 10W-30
API **SQ** / ILSAC **GF-7A**

5 US QUART (4.73L)
4 PER CASE /
48 CASES PER PALLET

SYNTHETIC BLEND DIESEL ENGINE OIL

API SERVICE CK-4
SAE 15W-40
CI-4 PLUS



30.155
Synthetic Blend SAE
Diesel Engine Oil
SAE 15W-40
5 Gallon Pail
API **CK-4**

48 PAILS PER PALLET

MADE IN USA

MADE IN USA

HSX3M PERFORMANCE SYNTHETIC BLEND

EXTENDS ENGINE LIFE

FOR GASOLINE ENGINES CERTIFIED

NEW



30.652
Synthetic Blend Oil
SAE 5W-20
API SQ / ILSAC GF-7A

30.653
Synthetic Blend Oil
SAE 5W-30
API SQ / ILSAC GF-7A

30.613
Synthetic Blend Oil
SAE 10W-30
API SQ / ILSAC GF-7A

1 US QUART (946ML) / 12 PER CASE / 84 CASES PER PALLET



30.452
Synthetic Blend Oil
SAE 5W-20
API SQ / ILSAC GF-7A

30.453
Synthetic Blend Oil
SAE 5W-30
API SQ / ILSAC GF-7A

30.413
Synthetic Blend Oil
SAE 10W-30
API SQ / ILSAC GF-7A

5 US QUART (4.73L) / 4 PER CASE / 48 CASES PER PALLET

ANTIFREEZE / COOLANT



29.852-4
Antifreeze/Coolant
(Blue) Ready Mix 50/50, 1 Gallon
4 PER CASE / 52 CASES PER PALLET

HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

POAT (Phosphate Organic Acid Technology)

* The Maintenance Council of the American Trucking Assoc. Antifreeze also meets the non-phosphate requirements of European OEM's and non-requirements of Japanese OEM's.

MADE IN USA

INCLUDES HYBRIDS / EVS

DO NOT ADD WATER

5 YEARS / 150K MILES PROTECTION

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

ASIAN VEHICLES

ACURA*, HONDA*, INFINITY*, NISSAN*, SUBARU*, SUZUKI*

ACURA® HONDA®	All years including Hybrids & EVs
INFINITI® NISSAN® SUBARU®	2009 & Newer, including Hybrids & EVs
SUZUKI®	Newer

EXTENDED LIFE BLUE FLUID



The above registered trademarks are owned by third parties.
POAT (Phosphate Organic Acid Technology)



29.858-4
Antifreeze/Coolant
(Pink) Ready Mix 50/50, 1 Gallon
4 PER CASE / 52 CASES PER PALLET

HEAVY DUTY HS READY MIX 50/50 PREDILUTED ANTIFREEZE/ COOLANT is an ethylene-glycol coolant that protects year-round against freezing (down to -34°F), boil-over (up to 265°F), and corrosion under extreme conditions. It's designed for cars, light-duty, and heavy-duty vehicles and has a service life of up to 5 years or 150,000 miles. Its inhibitor package protects all cooling system metals without harming paint or rubber and meets major industry and OEM specifications, including ASTM D3306, ASTM D4985, and ASTM D6210, as well as non-phosphate (European) and non-silicate (Japanese) requirements.

HS Ready Mix 50/50 is recommended for use in:

- Toyota
- Lexus
- KIA
- Honda/Acura
- Mitsubishi
- Subaru
- Daewoo
- Hyundai
- Nissan/Infiniti
- Mazda
- Suzuki
- Daihatsu
- Scion
- Isuzu

Protection	HS 50/50 Premix
Freeze-Up Protection	-34°F
Boil-Over Protection	+265°F

DO NOT ADD WATER

5 YEARS / 150K MILES PROTECTION

SILICATE, BORATE, NITRITE & AMINE FREE FORMULA

ASIAN VEHICLES

FOR USE WITH: ALL MAKES, MODELS & YEARS
TOYOTA*, LEXUS*, SCION*
*TRADEMARK OWNED BY THIRD PARTIES

EXTENDED LIFE PINK FLUID



The above registered trademarks are owned by third parties.
POAT (Phosphate Organic Acid Technology)



29.4641NC
Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 10 oz.

12 PER CASE



29.4642NC
Carb & Air Intake Cleaner

Removes varnish, sludge and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

NET WT. 16.25 oz.

12 PER CASE



29.4724
Throttle Body & Air Intake Cleaner

Cleans fuel injected air intake openings and assemblies; cleans butterfly/throttle valve; helps improve hard starting and performance.

NET WT. 10 oz.

12 PER CASE



29.4600
Electronics Cleaner

Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue.

NET WT. 10 oz.

12 PER CASE



29.4721
Mass Air Flow Sensor Cleaner

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance.

NET WT. 10 oz.

12 PER CASE



29.6762
Starting Fluid

Helps start stubborn engines fast in cold weather. Saves batteries. Contains upper cylinder lubricants.

NET WT. 10.7 oz.

12 PER CASE



29.6812UV-6
Lubricant With UV DYE

Three different viscosity grades of preWmium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems.

NET WT. 8 oz.

6 PER CASE

Automotive Silicone
MEGA BLACK



31.99839 3 oz.

SENSOR SAFE

Mega Black Silicone is a high-flex, low odor, non-corrosive, sensor/safe, moisture curing gasketing material that cures into a strong silicone rubber that maintains long lasting durability and performance to make formed-in-place gaskets. This tough, flexible silicone rubber gasket resists aging and weathering. Will not harden, shrink, or crack. Non-corrosive to steel, iron, and aluminum.

TEMP. RESISTANCE: -100°F to +650°F
(-73°C to + 343°C)

HONEYWELL R1234YF HFO-1234YF LOW GLOBAL WARMING POTENTIAL 8 OZ AUTOMOTIVE REFRIGERANT (4 PACK)




SELF SEALING VALVE

MADE IN USA



29.08R1234YF
Automotive A/C Refrigerant
EASY TO USE
Self Sealing Can
For R-1234YF Automotive Air conditioning Systems. Advanced formula provides maximum cooling power.
NET WT. 8 oz. (226 g)
4 PER CASE





SELF SEALING VALVE

NEW



29.PRF134A
134A Refrigerant
For R134a Automotive Air Conditioning Systems. Advanced formula provides maximum cooling power.
NET WT. 12 oz.
12 PER CASE
102 CASES PER PALLET

R-134A 30 LB. CYLINDERS



29.13430
134A Refrigerant
30 lb. Cylinder
40 CYLINDERS PER PALLET

UNDERGROUND

MEGATROMP™

EXTREMELY WARNING LOUD

22.750

Megatromp (Black)

(8 Per Master Pack)

Dual Metal Powder Coated
wDual Heavy Duty Compressors
One Very Loud Simultaneous
Diesel Sound





MATTE BLACK

SCAN ME

- Maintenance Free
- High Powered Compressors
- Hardware Included
- Easy Installation
- Dual Metal Powder Coated
- Matte Black Air Horns
- Dual Heavy Duty Compressors
- Very Loud Sound

©2024

7 30157 22750 9

12 VOLTS

MEGATROMP

HS UNIVERSAL CAR MATS

EXCELLENT FOR SUV'S, PICK-UPS, MINI-VANS & CARS


PLUSH

NON-SLIP VELCRO TYPE BACKING

4 PIECE SET CARPET MATS

VELCRO BACKING






- VELCRO-LIKE BACKING PREVENTS SLIDING
- COLOR MATCHED BORDER
- FITS: AMERICAN, ASIAN AND EUROPEAN VEHICLES




#1 SELLING MAT


Just got better with VELCRO BACKING!



47.310
Black



47.314
Dark Grey



47.316
Charcoal

Twin Front: 17" x 26½"
Twin Rear: 17" x 13½"
8 SETS PER MASTER PACK

HS Professional's Choice


Ultra Gloss™

The Ultimate Shine!

Microfiber Drying Towel



Waffle Design Absorbs More Water





- Super Absorbant Waffle Design
- Holds More Water
- Spot & Streak Free
- Lint & Scratch Free
- Reduces Drying Time



Size: 24"x 24"
Large

28.324
Microfiber
Drying Towel
Large 24" x 24"
1PC Pack
20 PER MASTER PACK



Size: 36"x 36"
X-Large

28.336
Microfiber
Drying Towel
X-Large 36" x 36"
1PC Pack
20 PER MASTER PACK

HS Professional's Choice

Ultra Gloss™

The Ultimate Shine!

2 Pcs 5” Microfiber Applicator Pads




2 Pcs Pack



Ideal For Applying:

- Polishes
- Waxes
- Protectants
- Tire Shine



28.352
5” Microfiber
Applicator Pads
2 Pcs Pack
12 INNER PACK /
48 MASTER PACK

7 Pcs Wash & Detailing Kit



(1) Two sided Chenille Wash Mitt



(1) Microfiber Drying Towel 24”x 24”



(3) Microfiber Cloths 12” x 16”



(1) 5” Microfiber Applicator Pads



(1) Storage Case

28.307
7 Pcs Wash & Detailing Kit
6 INNER PACK /
12 MASTER PACK

HS® NANO CERAMIC PERFORMANCE WINDOW FILMS

HIGH IR & HEAT REJECTION SCRATCH RESISTANT







Does Not Interrupt Radio, GPS Frequency

		5%	15%	30%	50%	70%
VLT	Color Darkness	5%	15%	30%	50%	70%
TSER	Heat Rejection	97%	89%	79%	75%	61%
IR	Infrared	90%	90%	90%	90%	90%
UV	Ultraviolet	99%	99%	99%	99%	99%

Professional "A" Grade HS IR Nano-Ceramic, Scratch Resistant, Non-Reflective, Non-Metalized, High Heat & UV Rejection

NANO-Ceramic Films, by Herrero & Sons Corp, ensure no signal interference from popular devices such as radios, GPS, key-less entry, cell phones and navigation devices. The unique technology used to produce HS IR Nano-Ceramic makes it the most state-of-the-art automotive film today. The Film provides a proprietary non-metalized, non-conductive Nano-ceramic technology with maximum heat and ultraviolet rejection, excellent optical clarity, and scratch and corrosion-resistant properties. HS IR Nano-Ceramic, dramatically reduce irreversible damage to human skin and vehicle interiors due to harmful ultraviolet (UV), visible, and infrared (IR) rays that penetrate ordinary window glass, while keeping the vehicle significantly cooler. In other words, practically clear films reject high levels of heat as dark films do. HS IR Nano-Ceramic, are light enough to meet visible light transmission laws for windscreens in most countries worldwide and provide the ultimate in comfort and protection as well as an elegant image. Installed HS IR Nano-Ceramic, help maintain temperature in interior surfaces of vehicles, offices or homes up to a maximum of 16°C (30°F) much cooler than in comparison with unprotected glass. This reduction in temperature increases the comfort but also reduces the use of air conditioners, helping to reduce energy costs and fuel consumption. Installer friendly films are easily heat-formed and have PS mounting adhesive for rapid install on curve automotive glass.

IR NANO-CERAMIC FILM

(152.4 cm x 30.5 m) 60" x 100'

ITEM #			VLT	TSER	IR Reject	UV Reject
14.9605	Ceramic Black	2.3Mil	5%	97%	90%	99%
14.9615	Ceramic Black	2.3Mil	15%	89%	90%	99%
14.9630	Ceramic Black	2.3Mil	30%	79%	90%	99%
14.9650	Ceramic Black	2.3Mil	50%	75%	90%	99%
14.9670	Ceramic Blue	2.3Mil	70%	61%	90%	99%



130°F
Without HS IR Nano-Ceramic Window Film

100°F
Protected by HS IR Nano-Ceramic Window Film

SCRATCH RESISTANT PERFORMANCE WINDOW FILMS

UP TO 99% UV RAYS REJECTED

IDEAL FOR AUTO, VANS, RV, TRUCKS, HOME, OFFICE, BOATS, ETC...

DIY STANDARD WINDOW FILM KIT





DYED FILM 20" x 10' (50 cm x 3m)

	SMOKE	VLT	TSER
14.305	Very Dark Smoke	5%	54%
14.320	Dark Smoke	20%	43%
14.335	Medium Smoke	35%	39%

	CHARCOAL / BLACK	VLT	TSER
14.805	Very Dark Charcoal / Black	5%	54%
14.820	Dark Charcoal / Black	20%	43%
14.835	Medium Charcoal / Black	35%	39%

- SAVES ENERGY
- PROTECTS INTERIOR
- EXTENDS PRIVACY
- INCREASES SAFETY
- ENHANCES APPEARANCE
- NO SIGNAL INTERFERENCE

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- 1.2 Mil

		5%	20%	35%
VLT	Color Darkness	5%	20%	35%
TSER	Heat Rejection	54%	43%	39%

10 KITS PER MASTER PACK

DIY CERAMIC WINDOW FILM KIT





CERAMIC FILM 30" x 10' (76cm x 3m)

	CERAMIC	VLT	TSER
14.705	Ceramic Black	5%	86%
14.715	Ceramic Black	15%	71%
14.730	Ceramic Black	30%	62%

- SAVES ENERGY
- PROTECTS INTERIOR
- EXTENDS PRIVACY
- INCREASES SAFETY
- ENHANCES APPEARANCE
- NO SIGNAL INTERFERENCE

- Scratch Resistant
- Pressure Sensitive Adhesive
- Blade & Squeegee Included
- 99% UV Rays Rejected
- High Heat Rejection
- 2.3 Mil

		5%	15%	30%
VLT	Color Darkness	5%	15%	30%
TSER	Heat Rejection	86%	71%	62%

10 KITS PER MASTER PACK



Does Not Interrupt Radio, GPS Frequency

130°F	100°F
Without Ceramic Window Film	Protected with Ceramic Window Film

VLT: VISIBLE LIGHT TRANSMITANCE

TSER: TOTAL SOLAR ENERGY REJECTED

PERFORMANCE WINDOW FILMS

MADE IN THE USA

ISO 9001:2008



Safety / Solar Security "A" Grade Film
Scratch-Resistant

Professional grade deep-dyed layer films offer the same protection as the clear security films but also provide heat and glare reduction for increasingly popular automotive and building applications. Film has extra strong, UV-Protected, PS adhesive and a scratch resistant coating. We only use Dupont Teijin® polyester because it is the best quality polyester for safety in the market. Large amount of adhesive on this safety film allow us to surpass American & European standards of impact, shatterproof & drop ball tests.

Clear Security Film



Dyed Security Film



DYED SECURITY FILM
(152.4 cm x 30.5 m) 60" x 100'

			VLT	TSER	
14.XSA15CSR4	Charcoal	4 mil	17%	43%	HS
14.XSA50CSR4	Charcoal	4 mil	50%	29%	HS

STEERING WHEEL LOCKS





- Highly visible yellow color distracts thieves from break-ins.
- Self locking mechanism.
- The key is only needed to unlock the device.
- Allows the driver to enter or leave the vehicle easily.
- Tough hardened steel construction.
- Foam coated to protect the steering wheel against damage.
- Includes 2 keys.



Hammerhead™
Steering Wheel Lock
54.750
Heavy Duty Tough Lock™
4 INNER PACK / 8 MASTER PACK

PLASTIC & CHROME, TIRE VALVE CAPS



5 PC Set





43.820
Black
Plastic (5)



43.825
Chrome
Metal (5)

24 SETS INNER PACK / 144 SETS MASTER PACK



4 PC Set

ALUMINUM, TIRE VALVE CAPS



43.840
Black (4)



43.842
Anodized
Blue (4)



43.843
Anodized
Red (4)



43.845
Chrome (4)



43.860
Black (4)



43.862
Anodized
Blue (4)



43.863
Anodized
Red (4)



43.865
Chrome (4)

24 SETS INNER PACK / 144 SETS MASTER PACK

HS WHEEL COVERS



45.607 16”
Silver Black
Wheel Cover
4 SETS PER MASTER PACK

All of our Wheel Covers are made from Strong, flexible, NON- recycled, 100% virgin abs plastic.

1. Patented, (PAT. NO.151485) Dual metal retention ring with secure clips.
2. Grips firmly onto wheel lip.





R-1234YF CHARGING HOSE





FOR AUTOMOTIVE A/C SYSTEMS

10.31234
R-1234YF Charging Hose with Gauge for Self-Sealing Cans

Re-Usable for Cans with Self-Sealing Valves.
Counter clockwise thread.Quick and Accurate Charging.
Easy-to-Read Gauge. Durable Metal Connectors.
12 PER CASE

NOTES

NOTES